

FIRST TIME GENERIC APPROVAL

Brand Name	Saphris [®]	
Generic Name	asenapine maleate	
Drug Manufacturer	Sigmapharm Labs LLC	

New Drug Approval

TYPE OF CLINICAL UPDATE

First time generic

FDA APPROVAL DATE

December 10, 2020

LAUNCH DATE

N/A

REVIEW DESIGNATION

Standard

TYPE OF REVIEW

Abbreviated New Drug Application (ANDA): 206107

DISPENSING RESTRICTIONS

N/A

Overview

INDICATION FOR USE

Asenapine sublingual tablets are an atypical antipsychotic indicated for:

- Schizophrenia in adults
- Bipolar I disorder
 - Acute monotherapy treatment of manic or mixed episodes, in adults and pediatric patients 10 to 17 years of age
 - o Adjunctive treatment to lithium or valproate in adults
 - Maintenance monotherapy treatment in adults

MECHANISMS OF ACTION

The mechanism of action of asenapine in schizophrenia and bipolar I disorder is unknown. It has been suggested that the efficacy of asenapine in schizophrenia could be mediated through a combination of antagonist activity at D2 and 5-HT2A receptors

DOSE FORM AND STRENGTH

Sublingual tablets: 2.5 mg, 5 mg, 10 mg

This document is designed to be an informational resource to facilitate discussion and should be used neither as a basis for clinical decision-making or treatment nor as a substitute for reading original literature. RxAdvance makes every effort to ensure that the information provided is up-to-date, accurate, and complete, but no guarantee is made to that effect. If this information is provided to clients or vendors, it is subject to any contractual confidentiality provisions. Third-party disclosures are in violation of confidentiality provisions.



FIRST TIME GENERIC APPROVAL

DOSE & ADMINISTRATION

	Starting Dose	Recommended Dose	Maximum Dose
Schizophrenia – acute treatment in adults	5 mg sublingually twice daily	5 mg sublingually twice daily	10 mg sublingually twice daily
Schizophrenia – maintenance treatment in adults	5 mg sublingually twice daily	5-10 mg sublingually twice daily	10 mg sublingually twice daily
Bipolar mania – adults: acute and maintenance monotherapy	5-10 mg sublingually twice daily	5-10 mg sublingually twice daily	10 mg sublingually twice daily
Bipolar mania – pediatric patients (10 to 17 years): monotherapy	2.5 mg sublingually twice daily	2.5-10 mg sublingually twice daily	10 mg sublingually twice daily
Bipolar mania – adults: as an adjunct to lithium or valproate	5 mg sublingually twice daily	5-10 mg sublingually twice daily	10 mg sublingually twice daily

This document is designed to be an informational resource to facilitate discussion and should be used neither as a basis for clinical decision-making or treatment nor as a substitute for reading original literature. RxAdvance makes every effort to ensure that the information provided is up-to-date, accurate, and complete, but no guarantee is made to that effect. If this information is provided to clients or vendors, it is subject to any contractual confidentiality provisions. Third-party disclosures are in violation of confidentiality provisions.